



UV34 (Gas) Utility Vehicle

Get gas-engine convenience and the hard-working performance your toughest projects demand with a Bobcat® UTV.

- 1,000 cc, two-cylinder SOHC engine for maximum durability and reliability
- Large 900-watt stator provides more power
- Cargo box holds 1,250 lbs of materials and supplies
- Increase tow rating, improved ground clearance and all-wheel drive
- 50+ accessories available

Choose 0% financing for 24 months* or a \$500 USD*/\$650 CAD* rebate in lieu of financing.



[Search Inventory](#)

[Build & Quote](#)

[Contact Dealer](#)

[View Offers](#)

[Find Dealer](#)

[Download Brochure](#)

UV34 Gas Overview

- Whether you need a UTV to haul materials on the jobsite or tow heavy trailers and equipment on your acreage, the Bobcat® 39.9-hp UV34 utility vehicle is the right choice for your toughest jobs.
- The 1,000 cc, two-cylinder SOHC engine is designed for maximum durability and reliability for challenging conditions, delivering the high-performance power you need with gas-engine convenience.
- The large, 900-watt stator provides more power – about 75 amps of output – for use with the snow blade and other electric-powered accessories, and the electronic fuel injection provides the best starting performance for working in all seasons.
- A large cargo box made of a durable composite interior handles up to 1,250 pounds of material or supplies to help you do more and do it better.
- With an increased tow rating, improved ground clearance, all-wheel drive and convenient service access, the UV34 delivers what you need to manage more of your challenging projects.

UV34 Gas Specs & Compare

[UV34 Gas Key Specifications](#)



Operating Weight	1,855 lb
Travel Speed - Max	35 mph
Cargo Box Bed Load Capacity	1,250 lb
Total Vehicle Rated Capacity	1,900 lb
Turning Radius	110 in

Engine

Engine Cooling	Liquid
Engine Fuel	Gasoline
Horsepower	39.9 hp
Displacement	61 in ³

Performance

Operating Weight	1,855 lb
Travel Speed	35 mph
Travel Speed - Max	35 mph
Travel Speed - Low	25 mph
Travel Speed - Reverse	25 mph

Capacities

Fuel Tank	11.5 gal
Cargo Box Bed Load Capacity	1,250 lb
Cargo Box Length	43.5 in
Cargo Box Width	54 in
Cargo Box Height	11.5 in
Cargo Box Bed Load Height	38 in
Total Vehicle Rated Capacity	1,900 lb

Dimension

Length	123 in
Width	62 in
Height	76 in
Ground Clearance	11.7 in
Turning Radius	110 in
Wheelbase	85 in

Features

Front and Rear Work Lights	Optional
Operating Lights	Standard
Cab Enclosure	Optional
Washer/Wiper (Front Rear and Roof)	Optional
Bed Lift	Manual
Cab Heater	Optional
Hydrostatic Transmission	Not Applicable
Sound Option	Not Applicable
Tilt Steering Wheel	Standard
Spark Arrestor Muffler	Standard
Heater Air Conditioning	Not Applicable

UV34 Gas Features & Benefits

[Expand all](#) ▾


Performance 13 ▾

Comfort 7 ▾

Uptime Protection 5 ▾

Accessories 1 ▾

UV34 Gas Attachments



Sand and Salt Spreader - SP9

Versatility for all types of material spreading jobs.

[View Attachment >](#)

Related Models

[View All Utility Vehicles >](#)



UV34 Diesel

Total Vehicle Rated Capacity	1900 lb
Turning Radius	110 in
Travel Speed	35 mph

[View Model >](#)



UV34 Gas

Total Vehicle Rated Capacity	1900 lb
Turning Radius	110 in
Travel Speed	35 mph

[View Model >](#)



UV34XL Diesel

Total Vehicle Rated Capacity	2075 lb
Turning Radius	154 in
Travel Speed	35 mph

[View Model >](#)

Related Links

UTV Accessories

[Audio & Tech >](#)

[Doors & Windows >](#)

[Electrical & Lighting >](#)

[Protection >](#)

[Racks & Storage >](#)

[Roofs >](#)

[Safety & Comfort >](#)

[Utility >](#)

[Wheels & Tires >](#)

Parts & Service

[Buy Parts, Filters & More >](#)

[Service Schedules >](#)

[Manuals >](#)

[Warranty >](#)

[Parts Lookup >](#)

[Recalls >](#)

[Non-Current Models >](#)

*The prices advertised are suggested resale prices that Bobcat recommends to dealers for purposes of trying to ensure that Bobcat's products are price-competitive and that dealers have the proper incentives to market and service the products in accordance with Bobcat's brand standards. Bobcat reserves the right to change suggested resale prices, product specifications, and options at any time. The final sales price is determined independently by the selling dealer in its sole discretion. Pricing is country specific. Bobcat's suggested list prices are for products sold in the US only.

*Offer ends 12/31/2023. Available at participating and eligible dealers only. Offer may vary by product type, series, model and select units in dealer's current inventory. Must take delivery from dealer stock by 12/31/2023. Offers available on new equipment in US and Canada only. Some restrictions apply. Length of contract and rate may vary. Monthly payment subject to change. Prior purchases not eligible. See dealer for details. Financing provided on approval of credit by authorized Bobcat finance providers to well-qualified buyers. All finance programs and rates are subject to final approval by the applicable Bobcat finance provider and are subject to change at any time without notice. Administrative fees may apply. Offer not available to government accounts, national accounts and municipal/utility bid customers. Bobcat Company reserves the right to extend or discontinue any of these programs at any time without prior notice.



WARNING: This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.