

CT1021 Sub-Compact Tractor



The 21-hp CT1021 sub-compact tractor with four-wheel drive and clutch-free 2-range hydrostatic transmission easily maneuvers around buildings.

- Compact 46-inch width
- Limited Category 1 three-point hitch for using implements
- Rear and mid-PTO

STARTING AT
\$13,985* USD

Free Front-End Loader*

OR

FINANCE
\$166/month* USD

0% for 84 months*

[Search Inventory](#)

[Build & Quote](#)

[Contact Dealer](#)

[View Offers](#)

[Find Dealer](#)

[Download Brochure](#)

CT1021 Overview

- This sub-compact tractor is a step up from lawn and garden tractors, but still compact enough to maneuver around barns, sheds and landscaping, making it perfect for mowing and managing a variety of projects around your small acreage.
- Mid-PTO provides the option of combining two tools on one machine – one in the back and either one in the front or a mid-mount mower.
- Rear PTO and Limited Category 1 three-point hitch allow the versatility to use both drag-behind and PTO-powered implements.
- Engage four-wheel drive for hard-working traction when your work demands it.

CT1021 Specs & Compare

CT1021 Key Specifications	
Horsepower	21 hp
Lift Capacity at 24" behind Lift Point	700 lb
PTO HP	16.3 hp
Transmission Type	Infinite, 2 Range Hydrostatic
Width	45.7 in
Turning Radius	8' 3"
Wheelbase	4' 7"

Engine	
Emissions Tier (EPA)	Tier 4
Horsepower	21 hp
Displacement	62 in³
Number of Cylinders	3
Gross HP	21 hp
Engine Model	3C100LWH-U2

Performance	
-------------	--

Operating Weight	1,521 lb
Travel Speed	11 mph
Travel Speed - Reverse	7.5 mph
3-Point Hitch	Category 1
3-pt Lift Control Type	Hydraulic Position Control System
Lift Capacity at 24" behind Lift Point	700 lb
Rear PTO System	Independent
Rear PTO - RPM	540
PTO HP	16.3 hp
Mid PTO - RPM	2200

Capacities ▲

Fuel Tank	6.7 gal
-----------	---------

Hydraulic System ▲

Implement Hydraulic Flow	4.6 gal/min
Total Hydraulic Flow	6.4 gal/min
Steering Hydraulic Flow	1.8 gal/min

Drive System ▲

Brake Type	Wet Multi Disc
Transmission Type	Infinite, 2 Range Hydrostatic

Dimension ▲

Length	99.3 in
Width	45.7 in
Height	87.6 in
Ground Clearance	6.3 in
Turning Radius	8' 3"
Wheelbase	4' 7"
Front Tire Size	Front Industrial (AG, Turf) 18X8.5-10 (18X8.5-10,18X8.5-10)
Rear Tire Size	Rear Industrial (AG, Turf) 26X12-12 (26X12-12,26X12-12)

Loader Attachment ▲

Loader Lift Height	6' 0"
Lift Capacity at Bucket Pivot	608 lb
Bucket Width	4' 0"

CT1021 Features & Benefits

[Expand all](#) ▼

Performance ⁹ ▼

Comfort ³ ▼

Uptime Protection ³ ▼

Versatility ¹ ▼

Serviceability ³ ▼

CT1021 Attachments & Implements

[View All Attachments >](#)



Angle Blade - 3PT, 60"

The 3-point angle blade pushes or scrapes snow from roads or the middle of parking areas.

[View Attachment >](#)



Backhoe - Compact Tractor, BH66

Dig septic tanks or ditches.

[View Attachment >](#)



Box Blade - 3PT, 48"

The box blade for tractors grade gardens or areas around barns

[View Attachment >](#)

Related Models

[View All Sub-Compact Tractors >](#)

1000 PLATFORM



CT1021 HST

Starting at \$13,985 USD*

Engine Horsepower	21 hp
PTO Horsepower	16.3 hp
Operating Weight	1521 lb

[View Model >](#)

1000 PLATFORM



CT1025 HSTD

Starting at \$15,929 USD*

Engine Horsepower	24.5 hp
PTO Horsepower	18.8 hp
Operating Weight	1521 lb

[View Model >](#)

*The prices advertised are suggested resale prices that Bobcat recommends to dealers for purposes of trying to ensure that Bobcat's products are price-competitive and that dealers have the proper incentives to market and service the products in accordance with Bobcat's brand standards. Bobcat reserves the right to change suggested resale prices, product specifications, and options at any time. The final sales price is determined independently by the selling dealer in its sole discretion. Pricing is country specific. Bobcat's suggested list prices are for products sold in the US only.

*Offer ends 12/31/2023. Available at participating and eligible dealers only. Offer may vary by product type, series, model and select units in dealer's current inventory. Must take delivery from dealer stock by 12/31/2023. Offers available on new equipment in US and Canada only. Some restrictions apply. Length of contract and rate may vary. Monthly payment subject to change. Prior purchases not eligible. See dealer for details. Financing provided on approval of credit by authorized Bobcat finance providers to well-qualified buyers. All finance programs and rates are subject to final approval by the applicable Bobcat finance provider and are subject to change at any time without notice. Administrative fees may apply. Offer not available to government accounts, national accounts and municipal/utility bid customers. Bobcat Company reserves the right to extend or discontinue any of these programs at any time without prior notice.



WARNING: This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.